



# UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE  
United States Patent and Trademark Office  
Address: COMMISSIONER FOR PATENTS  
P.O. Box 1450  
Alexandria, Virginia 22313-1450  
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/713,444	11/14/2003	Clifford D. Bennett	442005-00108	9620
Mark P. Levy Thompson Hine LLP P.O. Box 8801 Dayton, OH 45401-8801				
7550 01/16/2009				
EXAMINER				
LAUX, JESSICA L.				
ART UNIT		PAPER NUMBER		
3635				
MAIL DATE		DELIVERY MODE		
01/16/2009		PAPER		

**Please find below and/or attached an Office communication concerning this application or proceeding.**

The time period for reply, if any, is set in the attached communication.

**Supplemental  
Notice of Allowability**

**Application No.**

10/713,444

**Examiner**

JESSICA LAUX

**Applicant(s)**

BENNETT, CLIFFORD D.

**Art Unit**

3635

**-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address--**

All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. **THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS.** This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.

1. ☒ This communication is responsive to the amendment filed 7/25/2008.
2. ☒ The allowed claim(s) is/are 1,3-6,9-12,14-17,24-27.
3. ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
  - a) ☐ All    b) ☐ Some\*    c) ☐ None    of the:
  1. ☐ Certified copies of the priority documents have been received.
  2. ☐ Certified copies of the priority documents have been received in Application No. \_\_\_\_\_.
  3. ☐ Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).

\* Certified copies not received: \_\_\_\_\_.

Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.  
**THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.**

4. ☐ A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.
5. ☐ CORRECTED DRAWINGS ( as "replacement sheets") must be submitted.
  - (a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review ( PTO-948) attached
    - 1) ☐ hereto or 2) ☐ to Paper No./Mail Date \_\_\_\_\_.
  - (b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date \_\_\_\_\_.

Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).
6. ☐ DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.

**Attachment(s)**

- |  |  |
|--|--|
| <ol style="list-style-type: none"> <li>1. <input type="checkbox"/> Notice of References Cited (PTO-892)</li> <li>2. <input type="checkbox"/> Notice of Draftperson's Patent Drawing Review (PTO-948)</li> <li>3. <input type="checkbox"/> Information Disclosure Statements (PTO/SB/08),<br/>Paper No./Mail Date _____</li> <li>4. <input type="checkbox"/> Examiner's Comment Regarding Requirement for Deposit of Biological Material</li> </ol> | <ol style="list-style-type: none"> <li>5. <input type="checkbox"/> Notice of Informal Patent Application</li> <li>6. <input type="checkbox"/> Interview Summary (PTO-413),<br/>Paper No./Mail Date _____.</li> <li>7. <input checked="" type="checkbox"/> Examiner's Amendment/Comment</li> <li>8. <input type="checkbox"/> Examiner's Statement of Reasons for Allowance</li> <li>9. <input type="checkbox"/> Other _____.</li> </ol> |
|--|--|

### EXAMINER'S AMENDMENT

An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Mr. Jaglowski on 9/29/2008.

The application has been amended as follows:

- - Claim 6: A multi-level chair for supporting a post-tension concrete reinforcement cable at a fixed height from a bottom of a concrete form, said multi-level chair comprising:

an inverted V-shaped body having a pair of legs extending downwardly from an apex of said body, said body including multiple receptacles adapted to receive post-tension reinforcement cable,

said multiple receptacles comprising at least three receptacles positioned at different heights from a base of said body along at least one of said legs, the different heights being equally spaced apart heights, with each of said receptacles being sized to support substantially defining an unobstructed channel sized for post-tension reinforcement cable of a predetermined diameter, and each of said channels extending parallel to the base of the chair and across the entire body of the chair, and each of said receptacles being oriented perpendicularly to the plane defined by said V-shape, wherein a user may place said post-tension cable in a selected one of said receptacles. - -

- - Claim 12: A multi-level chair for supporting a concrete reinforcement cable under tension at a fixed height from a bottom of a concrete form, said multi-level chair comprising:

an inverted V-shaped body having a pair of legs extending downwardly from an apex of said body, each of said legs having a fixed length and multiple receptacles adapted to receive post-tension reinforcement cable,

said multiple receptacles comprising at least two receptacles positioned at different heights from ~~from~~ a base of said body along said length of said leg, wherein said multiple receptacles of one of said legs are positioned at different heights with respect to said multiple receptacles of the other of said legs, wherein said multiple receptacles are oriented perpendicularly to the plane defined by said V-shape, with each of said receptacles substantially defining an unobstructed channel sized for post-tension reinforcement cable of a predetermined diameter, and each of said channels extending parallel to the base of the chair and across the entire body of the chair, and wherein a user may support said reinforcement cable in each receptacle. - -

- - cancel claims 21 and 22. - -

Upon further review of the application it has been determined that the 112, first paragraph rejection regarding written description of claim 15 be withdrawn.

Accordingly claims 15, 25 are allowed.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to JESSICA LAUX whose telephone number is (571)272-8228. The examiner can normally be reached on Monday thru Thursday, 9:00am to 5:00pm (est).

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Richard Chilcot can be reached on 571-272-6777. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/Richard E. Chilcot, Jr./  
Supervisory Patent Examiner, Art Unit 3635

/J. L./  
Examiner, Art Unit 3635